



PREFACE

THOMAS BADER, OWNER AND MANAGING DIRECTOR OF LEIPFINGER-BADER GMBH


As part of the LEIPFINGER-BADER Group, we are among the leading manufacturers of building materials and system components for climate-neutral construction. We see ourselves as innovation drivers with a clear focus on ecologically sustainable products and a reliable partner to our customers. Our strong local ties a healthy indoor climate. Therefore, we attach parare also reflected in our love on natural raw materials. We have been processing naturally occurring clay for everything we do, making us one of the trendsetters in decades. At our location in Weroth (Westerwald), we

extract Europe's finest clays and process them into a high-end building material using our state-of-the-art production facilities.

We are convinced that we must reduce material consumption for environmentally friendly buildings with ticular importance to continuous circular economy in the industry.

WE THINK NEW PRODUCTS

Whether new construction or renovation, LEIPFINGER-BADER offers integrated system solutions for the sustainable present and future of construction:



CLAY BLOCK SYSTEMS

- SILVACOR & CORISO
- Ring beam formwork
- Column formwork
- Stop end formwork
- · Roller shutter and Venetian blind boxes

MODULAR CONSTRUCTION

· Solutions for serial and modular construction

VENTILATION SYSTEM

· The decentralised ventilation system integrated in the roller shutter or Venetian blind box

FACADE SYSTEMS

- TONALITY®
- Renovation solutions for ETICS

FLOOR SLAB SYSTEMS

- TONALITY®
- · Timber earth floor slab and reinforced brick concrete slab

FLOORING SYSTEMS

- · Screed replacement tiles
- Design screed replacement tiles

CLAY CONSTRUCTION SYSTEMS

- Clay slats
- · Clay plaster
- Clay paints

CRADLE TO CRADLE


- Recycling
- Unfired bricks
- · Brick aggregate for green roofs

TONALITY® SURFACES

STANDARD SURFACES

smooth single pilaster strip grooved


CUSTOMIZED SOLUTIONS



Further colors and surfaces on request.


COLOR | BL1
SURFACE | Ondo






TONALITY® NATURE COLLECTION





TONALITY® NATURE COLLECTION





^{*}No graffiti protection



TONALITY® COLOR COLLECTION





TONALITY® COLOR COLLECTION



Please inquire in the specific case so that we can check the feasibility in relation to your format request. We will be happy to advise you here.



STRONG CERAMIC ELEMENTS IN A STRONG LOOK

INSPIRED BY NATURE


Our proof that a ceramic element doesn't have to look like a ceramic element: the TONALITY Design Collection brings the "wow!" factor to facade construction – and impresses with modern designs in fascinating colours. Protected throughout by surfaces hardened using the MCS process. Inspired by nature.

Discover the Design lines Oak, Travertine, Cement and Porphyr in exciting colours. UV-resistant, extremely robust, impervious to graffiti and in the usual high TONALITY quality.

CEMENT







HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm




LAYING








LAYING



HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm

LAYING



OAK





LAYING



HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm

LAYING



HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm





LAYING



HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm





HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm

TRAVERTINE





LAYING



HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm

LAYING



PORPHYR





LAYING




HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm

LAYING





LAYING



HEIGHT I 150 mm to 400 mm **WIDE** I 300 mm to 1.600 mm



RESISTANCE IN ALL RESPECTS

Its qualities make the TONALITY facade element something of a superhero: impact- and scratch-proof, UV- and frost-resistant, impervious to graffiti, the weather and thermal influences. In short, our products take on any challenge – and lose neither shape nor colour. For us, that's just good form.



INTRODUCING OUR NEW PRODUCT

THE FACADE FOR CARPENTERS, FACADE BUILDERS AND EXPERIENCED DO-IT-YOURSELFERS

EASY INSTALLATION

The ceramic slats and the aluminium system rail are optimally matched to each other. The slats are secured by a broad locking pin in the profile.

The default pre-bent angle can be bent into the desired final position using customary needle-nose pliers. Integrated pressure springs ensure a tension-free, but secure fit of the slats.

AVAILABILITY

The slats come in four modern colours with a matched substructure and are readily available from specialist retailers as in-stock products.

They are suitable for use in both private residential construction and larger surfaces in rental, municipal and commercial buildings.


FOUR COLOURS ONE BRILLIANT SIZE

COLOURS

The ceramic slats are available in four modern design colours and with a plain surface: dark grey, medium

grey, light grey and white matt. The colours can also be combined.









70025 black matt

70005 dark grey

70014 medium grey

70015 white matt

SIZE

(Grid dimension)

Their format and low weight make the slats a perfect choice for use in both solid and wood frame construction. They always stand out with lifelong weather protection, zero maintenance and the combination of design and ecology.

125 cm

Albania | Australia | Austria | Belgium | Bosnia and Herzegovina | Bulgaria | Canada | Croatia | Czech Republic Denmark | Estonia | Finland | France | Germany | Greece | Hungary | Iran | Ireland | Italy | Kazakhstan | Kosovo Latvia | Lithuania | Luxembourg | Macedonia | Montenegro | Netherlands | New Zealand | Norway | Poland Russian Federation | Serbia | Slovakia | Slovenia | South Korea | Spain | Sweden | Switzerland | Turkey | United Kingdom | USA | Vietnam







A member of the LEIPFINGER-BADER corporate group

TONALITY® GmbH In der Mark 100 D-56414 Weroth

Tel. +49 6435 90999-0 info@tonality.de







www.tonality.de



Distributed in Canada by

Engineered Assemblies 3-3610 Odyssey Drive Mississauga, Ontario L5M 0Z9 1-866-591-7021 info@engineeredassemblies.com



www.engineeredassemblies.com













